

In the United States Patent and Trademark Office

RECEIVED
PATENT

In re application of: James A. Davis et al.
Serial No.: 09/866,326
Filed: May 25, 2001
For: **ABSORBENT ARTICLE WITH
DYNAMIC AIR FLOW**

Group No:
Examiner:
Docket 16,234

REQUEST FOR CORRECTED FILING RECEIPT

Assistant Commissioner for Patents
Office of Initial Patent Examination
Customer Service Center
Washington, DC 20231

RECEIVED
JAN 16 2002
TC 3700 MAIL ROOM

1. Attached is a copy of the official filing receipt received from the PTO in the above application for which issuance of a corrected filing receipt is respectfully requested.
2. There is an error with respect to the following data which is:

☒ incorrectly entered

and/or

☐ omitted

ERROR IN

CORRECT DATA

1. ☒ Applicant's Name
2. ☐ Applicant's Address
3. ☐ Title
4. ☐ Filing Date
5. ☐ Serial Number
6. ☐ Foreign/PCT Application Reference
7. ☐ Other

1. K.Y. Wang
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

3. (complete the following applicable item A or B)

A. ☒ The correction(s) is/are not due to any error by applicant and no fee is due


OR

- B. ☐ At least one of the above corrections is due to Applicant's error and the fee therefor under 37 C.F.R. 1.19(h) of \$25.00 is paid as follows:
- ☐ Enclosed is a check for \$25.00
- ☐ Charge Account No. 11-0875 \$25.00

Enclosed is a duplicate of this request for accounting purposes.

Respectfully submitted,

KIMBERLY-CLARK WORLDWIDE, INC.
401 North Lake Street
Neenah, Wisconsin 54956



William W. Letson
Registration No. 42,797
Telephone: (770) 587-7183

CERTIFICATE OF MAILING (37 C.F.R. 1.8a)

I, William W. Letson, hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on October 19, 2001 with sufficient postage as first class mail in an envelope addressed to the Application Processing Division,
Customer Correction Branch, Assistant Commissioner for Patents, Washington, D.C. 20231.

By:



William W. Letson